







THE

RAY SOCIETY.

INSTITUTED MDCCCXLIV.



This volume is issued to the Subscribers to the RAY SOCIETY for the Year 1913.

LONDON:

MCMXIII.



5,0,0

THE

BRITISH PARASITIC COPEPODA

BY

THOMAS SCOTT, LL.D., F.L.S.

AND

ANDREW SCOTT, A.L.S.

VOLUME II

COPEPODA PARASITIC ON FISHES

PLATES

LONDON
PRINTED FOR THE RAY SOCIETY

AND SOLD BY

DULAU & CO., LTD., 37, SOHO SQUARE, W.

1913

PRINTED BY ADLARD AND SON LONDON AND DORKING

THE AUTHORS

DESIRE, WITH THE MOST SINCERE RESPECT,

TO DEDICATE THIS WORK

TO THE

REV. CANON A. M. NORMAN, M.A.,

D.C.L., LL.D., F.R.S., F.L.S., ETC.,

IN GRATITUDE FOR HIS UNFAILING

KINDNESS AND ASSISTANCE

EXTENDED TO THEM FOR MANY YEARS.



NOTE BY THOMAS SCOTT.

All the figures, unless otherwise described, have been prepared by my son, Andrew Scott, from specimens examined by the authors.

The illustrations have all been engraved by André & Sleigh, Ltd., of Bushey, Watford.

LIST OF THE PLATES.

PLATE I.

Fig. 1.—Ergasilus nanus 2.—Bomolochus zeugopteri

,, 3.—B. soleæ ,, 4.—B. onosi

PLATE II.

Fig. 1-5.—Ergasilus nanus ,, 6-9.—Bomolochus soleæ

PLATE III.

Fig. 1-4.—Bomolochus soleæ, 5-7.—B. onosi

8, 9.—B. zeugopteri

PLATE IV.

Fig. 1, 2.—Caligus minimus ,, 3–8.—C. rapax

PLATE V.

Fig. 1-3.—Caligus centrodonti 4, 5.—C. labracis

PLATE VI.

Fig. 1, 2.—Caligus rapax
,, 3.—C. brevicaudatus
,, 4, 5.—Lepeophtheirus hippoglossi

PLATE VII.

Fig. 1.—Caligus zei 2, 3.—C. pelamydis

PLATE VIII.

Fig. 1,2.—Caligus gurnardi ,, 3-9.—C. zei

" 10, 11.—C. brevicaudatus

PLATE IX.

Fig. 1-5.—Caligus pelanydis ,, 6-9.—Pseudocaligus brevipedes

PLATE X.

Fig. 1, 2.—Pseudocaligus brevipedes ,, 3, 4.—Lepeophtheirus pectoralis

PLATE XI.

Fig. 1-6.—Sciænophilus tenuis

PLATE XII.

Fig. 1.—Lepeophtheirus nordmanni

" 2, 3.—L. pectoralis

,, 4,5.—Demoleus paradoxus

PLATE XIII.

Fig. 1-4.—Lepeophtheirus pectoralis

PLATE XIV.

Fig. 1-10.—Lepeophtheirus pectoralis

PLATE XV.

Fig. 1-9.—Lepeophtheirus pectoralis

PLATE XVI.

Fig. 1-3.—Lepeophtheirus pectoralis
,, 4-11.—L. nordmanni

PLATE XVII.

Fig. 1.—Caligus diaphanus
,, 2.—Lepeophtheirus hippoglossi
,, 3.—L. thompsoni
,, 4.—L. salmonis

5, 6.—L. pollachii

PLATE XVIII.

Fig. 1-3.—Caligus centrodonti ,, 4, 5.—C. labracis

,, 6, 7.—C. diaphanus

,. 8-10.—Lepeophtheirus hippoglossi

.. 11, 12.—L. salmonis .. 13-15.—L. pollachii .. 16-19.—L. sturionis

PLATE XIX.

Fig. 1-9.—Lütkenia asterodermi ,, 10.— Elytrophora brachyptera ,, 11-18.—Phyllothreus cornutus

PLATE XX.

Fig. 1-8.— Nogaus ambiguus ,, 9.— Chondracanthus annulatus ,, 10.—C. merluccii

PLATE XXI.

Fig. 1.—Lepeophtheirus sturi-

,, 2.—Pandarus bicolor

,, 3, 4.—Cecrops latreillii ,, 5.—Orthagoriscicola muricata

PLATE XXII.

Fig. 1, 2.—Trebius caudatus
,, 3.—Dinemoura producta
,, 4.—Echthrogaleus coleop-

tratus
, 5, 6.—Pandarus bicolor

PLATE XXIII.

Fig. 1, 2.—Elytrophora brachyptera
,, 3.—Phyllothreus cornutus
,, 4.—Lütkenia asterodermi

.. 5, 6.—Anthosoma crassum

PLATE XXIV.

Fig. 1, 2.—Caligus curtus ,, 3, 4.—Philorthragoriscus serratus

PLATE XXV.

Fig. 1-6.—Thersitina gasterostei ,, 7-9.—Caligus curtus ,, 10.—Lepeophtheirus thompsoni ,, 11-16.—Caligus minimus

PLATE XXVI.

Fig. 1-3.—Dinemoura producta ,, 4-19.—Pandarus bicolor

PLATE XXVII.

Fig. 1-8.—Dinemoura producta ,, 9, 10.—Cecrops latreillii ,, 11-24.—Philorthragoriscus serratus

PLATE XXVIII.

Fig. 1–7.—Cecrops latreillii ,, 8–18.—Orthagoriscicola muricata

PLATE XXIX.

Fig. 1.—Echthrogaleus lütkeni ,, 2-5.—Lernanthropus kröyeri

PLATE XXX.

Fig. 1-8.—Echthrogaleus lütkeni " 9-17.—Lernanthropus kröyeri

PLATE XXXI.

Fig. 1-6.—Elytrophora brachyptera
,, 7-18.—Dichelestium oblongum

PLATE XXXII.

Fig. 1-11.—Hatschekia mulli

PLATE XXXIII.

Fig. 1.—Hatschekia cluthæ 2.—H. labracis

, 3, 4.—H. hippoglossi . 5.—Thysanote impudica 6.—? Lernwopoda lampri

PLATE XXXIV.

Fig. 1-5.—Hatschekia cluthæ , 6, 7.—H. labracis , 8-11.—H. hippoqlossi

PLATE XXXV.

Fig. 1, 2.—Hatschekia cornigera 3–7.—H. pygmæa

PLATE XXXVI.

Fig. 1-5.—Hatschekia cornigera 6-9.—H. pygmæa

PLATE XXXVII.

Fig. 1.—Eudactylina acuta ,, 2, 3.—E. acanthii ,, 4, 5.—E. similis

,, 6, 7.—E. minuta

PLATE XXXVIII.

Fig. 1-5.—Endactylina acuta ,, 6-12.—E. acanthii

PLATE XXXIX.

Fig. 1-17.—Eudactylina similis

PLATE XL.

Fig. 1-9.—Eudactylina minuta

PLATE XLI.

Fig. 1.—Congericola pallida ,, 2-4.—Chrondracanthus depressus ,, 5.—C. zei

5.-C. zei

6.—C. ornatus

PLATE XLII.

Fig. 1-8.—Lernæa branchialis

PLATE XLIII.

Fig. 1-7.— Lernæa branchialis

PLATE XLIV.

Fig. 1, 2.—Lernæa lusci ,, 3.—L. minuta

5.—L. minuta 4.—L. lumpi

5-7.—Hæmobaphes cyclopterina

8.—Hæmobaphoides ambiguus

PLATE XLV.

Fig. 1.—Rebclula edwardsi ,, 2, 3.—Philichthys xiphiæ

,, 4,5.—Dichelestium oblongum ,, 6.—Tripaphylus musteli ,, 7.—Chondracanthus orna-

tus ... 8.—Brachiella rostrata

PLATE XLVI.

Fig. 1-5.—Lernæenicus sprattæ ... 6-9.—L. encrasicola

PLATE XLVII.

Fig. 1, 2.—Chondracanthus cornutus
3.—C. annulatus

22

,,

PLATE XLVII—continued.

Fig. 4.—Chondracanthus soleæ

" 5.—*C. fluræ*

" 6.—C. limandæ

" 7.—C. clavatus

" 8.—C. merluccii

PLATE XLVIII.

Fig. 1-3.—Lepeophtheirus thompsoni

, 4, 5.—L. pollachii

6.—L. brevicaudatus

" 7.—Caligus diaphanus

" 8-12.—Lernæopoda salmonea

,, 13-16 — Chondracanthus nodo-

,, 17.—Ergasilus nanus

,, 18.—Brachiella insidiosa

PLATE XLIX.

Fig. 1-7.—Tripaphylus musteli ,, 8-11.—Thysanote impudica

" 12-16.—(?) Lernæopoda lampri

PLATE L.

Fig. 1-5.—Lerneocera cyprinacea

6-8.—Achtheres percarum 9.—Brachiella bispinosa

PLATE LI.

Fig. 1.—Tripaphylus musteli

2.—Pennella orthagorisci

,, 3, 4.—Sphyrion lumpi

" 5.—Rebelula edwardsi

6.—Thersitina gasterostei

,, 7.—Clavella lophii

PLATE LII.

Fig. 1-3.—Chondracanthus nodosus

, 4.—C. lophii

, 5.—C. cornutus

,, 6.—Medesicaste asellinum

PLATE LIII.

Fig. 1-9.—Chondracanthus cor-

nutus

, 10, 11.—C. flura

" 12–15.—C. solew " 16–19.—C. merluccii

PLATE LIV.

Fig. 1-11.—Trebius caudatus

,, 12-17.—Charopinus dalmanni

,, 18–22.—*C. ramosus*

PLATE LV.

Fig. 1-4.—Charopinus dalmanni

5.—C. dubius 6, 7.—C. ramosus

PLATE LVI.

Fig. 1-7.—Chondracanthus de-

, 8–10.—C. annulatus

, 11, 12.—C. limandæ

13.—C. zei

,, 14, 15.—*C. clavatus*

" 16–18.—*C. lophii*

PLATE LVII.

Fig. 1-7.—Lernæopoda cluthæ

8–12.—L. bidiscalis

,, 13–17.—*L. elongata*

" 18, 19.—Medesicaste asellinum

PLATE LVIII.

Fig. 1-8.—Pandarus bicolor

" 9-15.—Lernæopoda galei

16.—L. cluthæ

PLATE LIX.

Fig. 1-6.—Lernxopoda salmonea ,, 7, 8.—Achtheres percarum

PLATE LX.

Fig. 1-3.—Lernæopoda cluthæ

4-6.—*L. galei*

7.—Brachiella ovalis

PLATE LXI.

Fig. 1, 2.—Lernæopoda bidiscalis

3, 4.—L. elongata 5, 6.—L. similis

PLATE LXII.

Fig. 1.—Brachiella trigla

.. 2.—B. insidiosa .. 3.—B. rostrata

., 4, 5.—B. merluccii

PLATE LXIII.

Fig. 1.—Lernæopoda galei

,, 2–8.—Brachiella rostrata 9–16.—B, insidiosa

,, 17–20.—B. merluccii

., 21–25.—B. triglæ ., 26–30.—B. ovalis

PLATE LXIV.

Fig. 1-3.—Achtheres percarum

.. 4-6.—Brachiella thynni

,. 7.—B. parkeri ,. 8.—B. pastinaca

9.—B. bispinosa

PLATE LXV.

Fig. 1.—Clavella brevicollis

2, 3.—*C. uncinata*

.. 4, 5.—C. rugosa

6.—C. (?) uncinata

7.—C. dubia

8, 9.—*C. stellata*

PLATE LXVI.

Fig. 1–7.— $Clavella\ rugosa$

,, 8–11.—*C. dubia*

,, 12-16.—C. brevicollis

,, 17-20.—C. emarginata ,, 21-23.—C. uncinata

PLATE LXVII.

Fig. 1-3.—Clavella scombri ,, 4-6.—C. paradoxa

PLATE LXVIII.

Fig. 1-7.—Clavella scombri

,, 8-14.—C. paradoxa ,, 15.—C. quadrata

PLATE LXIX.

Fig. 1-3.—Clavella canthari

,, 4-6.—C. alata

7.—C. emarginata

PLATE LXX.

Fig. 1-13.—Kroyeria lineata

PLATE LXXI.

Fig. 1-12.—Eudactylina insolens ... 13.—Brachiella pastinaca

", 14.—Caligus pelamydis

PLATE LXXII.

Fig. 1-10.—Argulus foliaceus

REFERENCE LETTERS TO PLATES IV, XII-XV, XLII, AND XLIII.

a. antennules.

 a^{i} . antennæ.

an. anus.

b. median frontal sucker.

c. filament duct.

cg. cement gland.

dg. digestive gland.

e. eyes.

f. filament.

g. ganglia.

i. intestine.

ls. lateral frontal sucker.

lns. lens.

m. mouth.

md. mandible.

mx, first maxilla.

mxⁱ. second maxilla. mxp. first maxilliped.

 mxp^{τ} . second maxilliped.

n. nerves.

o. ovary.

od. oviduct.

oe. esophagus.

os. ovisac.

 p^{i} . first pair of feet.

 p^{tt} . second pair of feet.

 p^{m} . third pair of feet.

p^{tv}. fourth pair of feet.

 p^{v} . fifth pair of feet.

 p^{vi} . sixth pair of feet.

rs. receptaculum seminis.

rt. rectum.

rtn. retina.

s. stomach.

sbg. sub-æsophageal ganglion.

spg. supra-esophageal ganglion.

sp. spermatophore.

t. testis. u. vulva.

vd. vas deferens.

Nos. 1-13, Nerves, as follows:-

1. optic.

2. antennules.

3. antennæ.

4. mandibles.

5. lateral frontal margins.

6. first maxillæ.

7. second maxillæ.

8. lateral cephalic muscles.

9. first maxillipeds.

10. second maxillipeds.

11. first feet and stomach muscles.
12. second feet and posterior

cephalic muscles.

13. third feet, fourth feet, fifth feet, genital segment, and abdomen.



PLATE II.

Figs.

1-5. Ergasilus nanus P. J. van Beneden, ♀. (p. 34.)

1. Antennule.

- 2. Foot of first pair.
- 3. Foot of third pair.
- 4. Foot of fourth pair.

5. Abdomen.

6-9. Bomolochus soleæ Claus, ♀. (p. 36.)

6. Mandible.

- 7. First maxilliped.
- 8. Foot of second pair.
- 9. Foot of fourth pair.

(Figures much enlarged.)








PLATE III.

Figs.

- 1-4. Bomolochus soleæ Claus, ♀. (p. 36.)
 - 1. Antennule.
 - 2. Maxilla.
 - 3. Second maxilliped.
 - 4. Foot of first pair.
- 5-7. Bomolochus onosi T. Scott. (p. 39.)
 - 5. Antennule, ?.
 - 6. Second maxilliped, ♀.
- 7. Second maxilliped, 3. 8, 9. Bomolochus zeugopteri T. Scott, 9. (p. 40.)
 - 8. Antennule.
 - 9. Second maxilliped.

(Figures much enlarged.)






PLATE IV.

Figs.

1, 2. Caligus minimus Otto. (p. 46.)

1. Dorsal view, \circ , \times 11.

2. Dorsal view, 3, × 11. 3-8. Caligus rapax M. Edwards. (p. 48.)

3. Early "chalimus" stage attached to fin-ray of a young cod, \times 54.

4. Late "chalimus" stage attached to tail of a young

lumpsucker, \times 15.

5. Mature part of a frontal plate, shewing lateral sucker (lunula).

6. Sternal fork, ♀.

7. Second maxilliped, ?.

8. Foot of fourth pair, ?.

(Figures 5-8 much enlarged.)






PLATE V.

Figs.

1-3. Caligus centrodonti Baird. (p. 50.)

1. Dorsal view, \(\foats \). (After C. B. Wilson.)
2. Dorsal view, \(\delta \), \times 16.
3. Dorsal view of a young individual, \(\delta \), \times 16.

4, 5. Caligus labracis T. Scott. (p. 53.) 4. Dorsal view, \mathfrak{P} , × 21.

5. Dorsal view, 3, × 21.

PLATE V






PLATE VI.

Figs.
1, 2. Caligus rapax M. Edwards. (p. 48.)

1. Dorsal view, ♀, × 13.
2. Dorsal view, ♂, × 13.
3. Caligus brevicaudatus A. Scott. (p. 56.)
3. Dorsal view, ♀, × 16.
4, 5. Lepeophtheirus hippoglossi (Kröyer). (p. 67.)
4. Dorsal view, ♀, × 5.
5. Dorsal view, ♂, × 7.5.

11 1, -1 -






PLATE VII.

Figs.

Caligus zei Norman & T. Scott. (p. 54.)
 Dorsal view, \$\operatorname{\chi}\$, \$\times\$ 11.
 Caligus pelamydis Kröyer. (p. 57.)
 Dorsal view, \$\operatorname{\chi}\$, \$\times\$ (enlarged).

PLATE VII






Plate 8

PLATE VIII.

Figs.

1, 2. Caligus gurnardi Kröyer. (p. 52.)

Dorsal view, ♂, × 8. (After Kröyer.)
 Dorsal view, ♀, × 8. (After Kröyer.)

- 3-9. Caligus zei Norman & T. Scott, ♀. (p. 54.)
 - 3. Antennule.
 - 4. Antenna.
 - 5. Sternal fork.
 - 6. First maxilliped.
 - 7. Second maxilliped.
 - 8. Foot of fourth pair.

9. Urosome, 3.

10, 11. Caligus brevicaudatus A. Scott, ♀. (p. 56.)

10. Second maxilliped, ♀.

11. Foot of fourth pair, \(\varphi\).

(Figures 3-11 much enlarged.)






PLATE IX.

Figs.

- 1-5. Caligus pelamydis Kröyer, ♀. (p. 57.)
 - 1. Antennule.
 - 2. Antenna.
 - 3. First maxilliped.
 - 4. Second maxilliped.
 - 5. Foot of fourth pair.
- 6-9. Pseudocaligus brevipedes (Bassett-Smith). (p. 61.)
 - 6. Sternal fork, ?.
 - 7. Sternal fork, 3.
 - 8. Second maxilliped, 9.
 - 9. Foot of fourth pair, ?.

(Figures much enlarged.)






PLATE X.

Figs.

1, 2. Pseudocaligus brevipedes (Bassett-Smith). (p. 61.)

1. Dorsal view, $\hat{\varphi}$, \times 22.

2. Dorsal view, δ , \times 22.

3, 4. Lepeophtheirus pectoralis (O. F. Müller). (p. 64.)

3. Dorsal view, \circ , \times 17.

4. Dorsal view, δ , \times 17.






PLATE XI.

Figs.

- 1-6. Sciænophilus tenuis P. J. van Beneden, ♀. (p. 63.)
 - 1. Dorsal view (natural size).
 - 2. Dorsal view (enlarged).
 - 3. Dorsal view (cephalothorax only).
 - 4. Ventral view (cephalothorax, right half only).
 - 5. Mandible.
 - 6. Caudal rami.

(After P. J. van Beneden.)








PLATE XII.

Figs.

- Lepeophtheirus nordmanni (M. Edwards). (p. 66.)
 Dorsal view, \(\frac{1}{2}, \times 9. \)
- 2, 3. Lepeophtheirus pectoralis (O. F. Müller). (p. 64.)

2. Newly hatched nauplius, \times 52.

3. "Chalimus" stage, x 26.

- 4, 5. Demoleus paradoxus (Otto). (p. 79.)
 - 4. Ventral view, ♀. (After Otto.)
 - 5. Ventral view, 3. (After Otto.)

(Figures 4 and 5 enlarged.)






PLATE XIII.

Figs.

1-4. Lepeophtheirus pectoralis (O. F. Müller), \(\chi\). (pp. 9-18 and 64.)

1. Ventral view, shewing the various appendages and

their muscles, \times 17.

2. Dorsal view, shewing the dorsal muscles, \times 17.

3. Ventral view, shewing the alimentary canal and digestive glands, \times 17.

4. Ventral view, shewing the nervous system in situ, \times 17.






PLATE XIV.

Figs.

- 1–10. Lepeophtheirus pectoralis (O. F. Müller). (pp. 9–18 and 64.)
 - Ventral view, shewing the reproductive organs, [♀], × 17.
 - 2. Genital segment and abdomen, ?, immature.
 - Ventral view, shewing the reproductive organs, \$\delta\$, \times 17.
 - 4. Longitudinal section of the ovary.
 - Transverse section through genital segment, ♀, mature.
 - 6. Transverse section through genital segment, 3, mature.
 - 7. Left anterior digestive gland.
 - 8. Mouth from the anterior surface, shewing the mandibles in situ, and the ducts from the right and left anterior digestive glands.
 - 9. Spermatophores detached from the genital openings of a female.
 - 10. Median longitudinal section of the ganglia, shewing the "pinhole" esophagus passing through between the supra- and sub-esophageal parts.

(Figures much enlarged.)






PLATE XV.

Figs.

1-9. Lepeophtheirus pectoralis (O. F. Müller), 9. (pp. 9-18 and 46.)

1. Nearly median longitudinal section.

2. Part of transverse section of the intestine.

3. Horizontal section of the supra-æsophageal ganglion, shewing the crossing of the fibres of the optic nerves.

4. Transverse section of the eyes.

- 5. One of the antennules, shewing the nerve endings.
- 6. Transverse section in the region of the supra- and sub-æsophageal ganglia.

7. Transverse section in the region of the eyes.

8. Transverse section in the region of the second maxillipeds.

9. The nervous system from the ventral aspect.

(Figures much enlarged.)






PLATE XVI.

Figs.

- 1-3. Lepeophtheirus pectoralis (O. F. Müller), ♀. (p. 64.)
 - 1. Sternal fork.
 - 2. Second maxilliped.
 - 3. Foot of fourth pair.
- 4-11. Lepeophtheirus nordmanni (M. Edwards), ♀ & ♂. (p. 66.)
 - 4. & Dorsal view. (This figure after C. B. Wilson.)
 - 5. ? Antenna.
 - 6. ? Sternal fork.
 - 7. 9 Second maxilliped.
 - 8. 9 Foot of fourth pair.
 - 9. 9 Sternal fork.
 - 10. 9 Second maxilliped.
 - 11. ? Foot of fourth pair.

(The last three figures are from a second specimen.)




PLATE XVII.

Figs

1. Caligus diaphanus Nordmann. (p. 60.) 1. Dorsal view, \mathfrak{P} , \times 13.

2. Lepeophtheirus hippoglossi (Kröyer). (p. 67.) 2. Dorsal view, ç immature.

Lepeophtheirus thompsoni Baird. (p. 69.)
 Dorsal view, ♀, × 8.75.

Lepeophtheirus salmonis (Kröyer). (p. 71.)
 Dorsal view, ♀, × 4.

5, 6. Lepeophtheirus pollachii Bassett-Smith. (p. 73.)

5. Dorsal view, ♀, × 10.
6. Dorsal view, ♂, × 13.






PLATE XVIII.

Figs. 1-3. Caligus centrodonti Baird, ♀. (p. 50.) 1. Sternal fork. 2. Second maxilliped. 3. Foot of fourth pair. 4, 5. Caligus labracis T. Scott, ♀. (p. 53.) 4. Sternal fork. 5. Foot of fourth pair. 6, 7. Caligus diaphanus Nordmann, 9. (p. 60.) 6. Second maxilliped. 7. Foot of fourth pair. 8-10. Lepeophtheirus hippoglossi (Kröyer), ? (p. 67.) 8. Sternal fork. 9. First maxilliped. Second maxilliped. 11, 12. Lepeophtheirus salmonis (Kröyer), 9. (p. 71.) 11. Sternal fork. 12. Foot of fourth pair. 13-15. Lepeophtheirus pollachii Bassett-Smith. ♀. (p. 73.) 13. First maxilliped. 14. Second maxilliped. 15. Foot of fourth pair. 16-19. Lepeophtheirus sturionis (Kröyer), ♀. (p. 74.) 16. Sternal fork. 17. Second maxilliped. 18. Foot of fourth pair.

(Figures much enlarged.)

Furcal joints.

PLATE XIX.

Figs.

- 1-9. Lütkenia asterodermi Claus, ♀. (p. 76.)
 - 1. Antennule.
 - 2. Antenna.
 - 3. First maxilliped.
 - 4. Second maxilliped.
 - 5. Foot of first pair.
 - 6. Foot of second pair.
 - 7. Foot of third pair.
 - 8. Foot of fourth pair.
 - 9. Abdomen and furcal joints.
 - 10. Elytrophora brachyptera Gerstaecker. (p. 83.)

10. Foot of second pair, ?.

- 11-18. Phyllothreus cornutus (M. Edwards), \(\mathbb{C}. \) (p. 92.)
 - 11. Antennule.
 - 12. Antenna.
 - 13. First maxilliped.
 - 14. Second maxilliped.
 - 15. Foot of first pair.
 - 16. Foot of second pair.
 - 17. Foot of third pair.
 - 18. Foot of fourth pair.

(Figures much enlarged.)




PLATE XX.

Figs.

- 1-8. Nogaus ambiguus T. Scott, J. (p. 78.)
 - 1. Dorsal view, \times 13.
 - 2. Antennule.
 - 3. First maxilliped.
 - 4. Second maxilliped.
 - 5. Foot of first pair.
 - 6. Foot of second pair.
 - 7. Foot of third pair.
 - 8. Foot of fourth pair.
 - 9. Chondracanthus annulatus Olsson. (p. 169.)
 - 9. Lateral view, δ , \times 50.
 - 10. Chondracanthus merluccii (Holten). (p. 180.)

10. Lateral view, δ , \times 115.

(Figures 2-8 much enlarged.)



PLATE XXI.

Figs.

1. Lepeophtheirus sturionis (Kröyer). (p. 74.)

1. Dorsal view, \mathfrak{P} , \times 6.6.

2. Pandarus bicolor Leach. (p. 95.)

2. Dorsal view, $\mathcal{J}(\text{juv.}) = Nogagus \ latus \ T. \ Scott, \times 15.$

3, 4. Cecrops latreillii Leach. (p. 98.) 3. Dorsal view, \mathfrak{P} , \times 2.

4. Dorsal view, δ , \times 2.

5. Orthagoriscicola muricata (Kröyer). (p. 100.)

5. Dorsal view, \mathfrak{P} , $\times 2.5$.






PLATE XXII.

Figs.

- 1, 2. Trebius caudatus Kröyer. (p. 81.)
 - 1. Dorsal view, ?, \times 6.6.
 - 2. Dorsal view, \mathcal{F} , \times 15.
 - 3. Dinemoura producta (O. F. Müller). (p. 86.)
 - 3. Dorsal view, ♀, × 3·3. 4. Echthrogaleus coleoptratus (Guérin). (p. 89.)
- 4. Dorsal view, ♀, × 4. 5, 6. Pandarus bicolor Leach. (p. 95.)
 - 5. Dorsal view, \mathcal{P} , \times 5.
 - 6. Dorsal view, 3, \times 10.






PLATE XXIII.

Figs.

1, 2. Elytrophora brachyptera Gerstaecker. (p. 83.)

1. Dorsal view, ?, \times 8.

2. Dorsal view, \mathcal{E} , \times 8.

3. Phyllothreus cornutus (M. Edwards). (p. 92.) 3. Dorsal view, 2×4.5 .

4. Lütkenia asterodermi Claus. (p. 76.)

4. Dorsal view, \(\pi \) (enlarged).
5, 6. Anthosoma crassum (Abildgaard). (p. 108.)

5. Dorsal view, \circ , \times 3.

6. Ventral view, ♀, × 3.






PLATE XXIV.

Figs.

- 1, 2. Caligus curtus O. F. Müller. (p. 45.)
 - 1. Dorsal view, ?, \times 8.
 - 2. Dorsal view, δ , \times 6.5.
- 3, 4. Philorthragoriscus serratus (Kröyer). (p. 104.)
 - 3. Dorsal view, \circ , \times 12.5.
 - 4. Dorsal view, δ , \times 20.



PLATE XXV.

Figs.

- 1-6. Thersitina gasterostei (Pagenstecher), ♀. (p. 42.)
 - 1. Antennule.
 - 2. Antenna.
 - 3. Second maxilliped.
 - 4. Foot of first pair.
 - 5. Foot of fourth pair.
 - 6. Abdomen and furcal joints.
- 7-9. Caligus curtus O. F. Müller, Q. (p. 45.)
 - 7. Sternal fork.
 - 8. Second maxilliped.
 - 9. Foot of fourth pair.
 - 10. Lepeophtheirus thompsoni Baird. (p. 69.)
 - 10. Sternal fork, ♀.
- 11–16. Caligus minimus Otto, ♀ & ♂ (p. 46.)
 - 11. Antennule, ♀.
 - 12. Sternal fork, ♀.
 - 13. Sternal fork, ♂.
 - 14. Second maxilliped, ♀.
 - 15. Foot of fourth pair, ♀.
 - 16. Second maxilliped, ♂.






PLATE XXVI.

FIGS.

- 1-3. Dinemoura producta (O. F. Müller), 9. (p. 86.)
 - 1. Foot of second pair.
 - 2. Foot of fourth pair.
 - 3. Fifth foot.
- 4-19. Pandarus bicolor Leach, ♀ & ♂. (p. 95.)
 - 4. ? Antennule.
 - 5. Antenna.
 - 6. Maxilla.
 - 7. First maxilliped.
 - 8. Second maxilliped.
 - 9. Foot of first pair.
 - 10. Foot of second pair.
 - 11. Foot of third pair.
 - 12. Foot of fourth pair.
 - 13. 3 Antennule.
 - 14. Antenna.
 - 15. Maxilla.
 - 16. First maxilliped.
 - 17. Second maxilliped.
 - 18. Foot of first pair.
 - 19. Foot of second pair.





PLATE XXVII.

Figs.

- 1-8. Dinemoura producta (O. F. Müller), \(\mathbb{?} \). (p. 86.)
 - 1. Antennule.
 - 2. Antenna.
 - 3. Mandible.
 - 4. Maxilla.
 - 5. First maxilliped.
 - 6. Second maxilliped.
 - 7. Foot of first pair.
 - 8. Foot of third pair.
- 9, 10. Cecrops latreillii Leach, ♀. (p. 98.)
 - 9. Antenna.
 - 10. First maxilliped.
- 11–24. Philorthragoriscus serratus (Kröyer), ♀ & ♂. (p. 104.)
 - 11. ? Antennule.
 - 12. Antenna.
 - 13. Mandible.
 - 14. Maxilla.
 - 15. First maxilliped.
 - 16. Second maxilliped.
 - 17. Foot of first pair.
 - 18. Foot of third pair.
 - 19. Foot of fourth pair.
 - 20. Abdomen and furcal joints.
 - 21. 3 Antenna.
 - 22. Maxilla.
 - 23. Second maxilliped.
 - 24. Foot of second pair.






PLATE XXVIII.

Figs.

- 1-7. Cecrops latreillii Leach, ♀. (p. 98.)
 - 1. Antennule.
 - 2. Second maxilliped.
 - 3. Foot of first pair.
 - 4. Foot of second pair.
 - 5. Foot of third pair.
 - 6. Foot of fourth pair.
 - 7. Fifth foot.
- 8-18. Orthagoriscola muricata (Kröyer), 9. (p. 100.)
 - 8. Antennule.
 - 9. Antenna.
 - 10. Mandible.
 - 11. Maxilla.
 - 12. First maxilliped.
 - 13. Second maxilliped.
 - 14. Foot of first pair.
 - 15. Foot of second pair.
 - 16. Foot of third pair.
 - 17. Foot of fourth pair.
 - 18. Fifth foot.



PLATE XXIX.

Figs.

1. Echthrogaleus lütkeni (Norman). (p. 90.)

1. Dorsal view, & (enlarged).

2-5. Lernanthropus kröyeri P. J. van Beneden. (p. 110.)

2. Dorsal view, φ , \times 13.4.

3. Abdomen and furcal joints, ? (much enlarged).

4. Dorsal view, ♂, × 13·4.

5. Abdomen and furcal joints, & (much enlarged).










PLATE XXX.

Figs.

- 1-8. Echthrogaleus lütkeni (Norman), 3. (p. 90.)
 - 1. Antennule.
 - 2. Antenna.
 - 3. First maxilliped.
 - 4. Second maxilliped.
 - 5. Foot of first pair.
 - 6. Foot of second pair.
 - 7. Foot of third pair.
 - 8. Foot of fourth pair.
- 9–17. Lernanthropus kröyeri P. J. van Beneden, ♀. (p. 110.)
 - 9. Antennule with secondary process.
 - 10. Antenna.
 - 11. Mandible.
 - 12. Maxilla.
 - 13. First maxilliped.
 - 14. Second maxilliped.
 - 15. Foot of first pair.
 - 16. Foot of second pair.
 - 17. Outer ramus of second foot, 3.






PLATE XXXI.

Figs.

1-6. Elytrophora brachyptera Gerstaecker, 9. (p. 83.)

1. Antenna.

- 2. First maxilliped.
- 3. Second maxilliped.
- 4. Foot of first pair.
- 5. Foot of fourth pair.

6. Antenna, 3.

- 7-18. Dichelestium oblongum (Abildgaard), ♀ & ♂. (p. 106.)
 - 7. 9 Antennule.
 - 8. Antenna.
 - 9. Mandible.
 - 10. Maxilla.
 - 11. First maxilliped.
 - 12. Second maxilliped.
 - 13. Foot of first pair.
 - 14. Foot of second pair.
 - 15. Foot of fourth pair.
 - 16. 3 Antenna.
 - 17. Foot of second pair.
 - 18. Foot of fourth pair.



PLATE XXXII.

Figs.

- 1-11. Hatschekia mulli (P. J. van Beneden), ♀. (p. 114.)
 - 1. Adult female, dorsal view, \times 24.5.
 - 2. Lateral view of head and thorax, adult \times 36.
 - 3. Dorsal view, juv., \times 36.
 - 4. Antennule.
 - 5. Antenna.
 - 6. Spiniform process at base of antenna.
 - 7. Mandible.
 - 8. Maxilla.
 - 9. Maxilliped.
 - 10. Foot of first pair.
 - 11. Foot of second pair.






PLATE XXXIII.

Figs.

1. Hatschekia cluthæ (T. Scott). (p. 117.)

1. Dorsal view, \circ , \times 58.

- 2. Hatschekia labracis (P. J. van Beneden). (p. 115.) 2. Dorsal view, ♀, × 28.
- 3, 4. Hatschekia hippoglossi (Kröyer). (p. 112.)

3. Dorsal view, \circ , \times 7.

4. Dorsal view, δ , \times 34.

5. Thysanote impudica (Nordmann). (p. 187.)

5. Dorsal view, ?, \times 10.

6. ? Lernæopoda lampri sp. nov. (p. 202.)

6. Lateral view, δ , \times 14.






PLATE XXXIV.

Figs.

- 1-5. Hatschekia cluthæ (T. Scott), 9. (p. 117.)
 - 1. Antennule.
 - 2. Antenna.
 - 3. Maxilla.
 - 4. Second maxilliped.
 - 5. Foot of first pair.
- 6, 7. Hatschekia labracis (P. J. van Beneden), 9. (p. 115.)
 - 6. Antennule.
 - 7. Antenna.
- 8-11. Hatschekia hippoglossi (Kröyer), 9. (p. 112.)
 - 8. Antennule.
 - 9. Mandible.
 - 10. Second maxilliped.
 - 11. Foot of first pair.



PLATE XXXV.

Figs.

1, 2. Hatschekia cornigera T. Scott, \(\cdot \). (p. 118.)

1. Dorsal view, \times 40.

- 2. Lateral view of head and thorax, \times 80.
- 3-7. Hatschekia pygmæa T. Scott, \(\text{p. 119.} \)
 3. Dorsal view, \(\times 45. \)

4. Maxilliped.

5. Foot of first pair.

6. Foot of second pair.

7. Abdomen and furcal joints.






PLATE XXXVI.

Figs.

- 1-5. Hatschekia cornigera T. Scott, ♀. (p. 118.)
 - 1. Antennule.
 - 2. Antenna.
 - 3. Maxilliped.
 - 4. Foot of first pair.
 - 5. Foot of second pair.
- 6-9. Hatschekia pygmæa T. Scott, ?. (p. 119.)
 - 6. Antennule.
 - 7. Antenna.
 - 8. Mandible.
 - 9. Maxilla.




PLATE XXXVII.

Figs. 1. Eudactylina acuta P. J. van Beneden. (p. 126.) 1. Dorsal view, \circ , \times 41. 2, 3. Eudactylina acanthii A. Scott. (p. 128.) Dorsal view, ♀, × 41.
 Lateral view, ♀, × 41.

4, 5. Eudactylina similis T. Scott. (p. 130.) 4. Lateral view, ♀, × 34.
5. Lateral view, ♂, × 34.

6, 7. Eudactylina minuta T. Scott. (p. 133.)

6. Dorsal view, ?, \times 40. 7. Lateral view, 9, × 40.






PLATE XXXVIII.

Figs.

1–5. Eudactylina acuta P. J. van Beneden, ♀. (p. 126.)

1. Antennule.

- 2. Foot of first pair.
- 3. Foot of second pair.

4. Foot of fifth pair.

- 5. Part of abdomen, and furcal joints.
- 6-12. Eudactylina acanthii A. Scott, ?. (p. 128.)
 - 6. Antennule.
 - 7. Antenna.
 - 8. Foot of first pair.
 - 9. Foot of second pair.
 - 10. Foot of fourth pair.
 - 11. Foot of fifth pair.
 - 12. Part of abdomen, and furcal joints.






PLATE XXXIX.

Figs.

- 1–17. Eudactylina similis T. Scott, ♀ & ♂. (p. 130.)
 - 1. ? Antennule.
 - 2. Antenna.
 - 3. Mandible.
 - 4. Maxilla.
 - 5. First maxilliped.
 - 6. Second maxilliped.
 - 7. Foot of first pair.
 - 8. Foot of second pair.
 - 9. Foot of fourth pair.
 - 10. Foot of fifth pair.
 - 11. Part of abdomen, and furcal joints.
 - 12. ♂ Antennule.
 - 13. Second maxilliped.
 - 14. Foot of first pair.
 - 15. Foot of second pair.
 - 16. Foot of fourth pair.
 - 17. Part of abdomen, and furcal joints.



PLATE XL.

Figs.

- 1-9. Eudactylina minuta T. Scott, ♀. (p. 133.)
 - 1. Antennule.
 - 2. Antenna.
 - 3. First maxilliped.
 - 4. Second maxilliped.
 - 5. Foot of first pair.
 - 6. Foot of second pair.
 - 7. Foot of fourth pair.
 - 8. Foot of fifth pair.
 - 9. Part of abdomen, and furcal joints.



PLATE XLI.

Figs.

1. Congericola pallida P. J. van Beneden, ♀ dorsal view, × 17. (p. 124.)

2-4. Chondracanthus depressus T. Scott. (p. 172.)

2. ♀ Dorsal view, × 12.

3. Posterior end of body in dorsal view, \times 12.

4. Var. oblongus, ♀ dorsal view, × 12. (p. 173.)

5. Chondracanthus zei De la Roche, ♀ dorsal view, × 5. (p. 177.)

© 6. Chondracanthus ornatus T. Scott, ♀ dorsal view, × 10. (p. 182.)






PLATE XLII.

Figs.

1-8. Lernæa branchialis Linn. (p. 142.)

1. Mature female, side view, × 4.

2. Newly hatched nauplius \times 51. (p. 21.)

3. Very young female, unfertilized, dorsal view, × 51½. (p. 21.)

4. Fertilized female, after leaving the gills of a flounder, dorsal view × 27½. (p. 21.)

5. Mature male, dorsal view, \times 28½. (p. 21.)

6. Fertilized female, 'Pennella stage,' just after attachment to the gills of a whiting, dorsal view, × 15½. (p. 23.)

6a. A later stage than fig. 6; the folding has just been completed; side view, natural size. (p. 23.)

7. Apex of the gill-ray of a flounder, normal, × 18. (p. 22.)

8. Apex of the gill-ray of a flounder, shewing malformation caused by the young *Lernæa*, × 18. (p. 22.)



PLATE XLIII.

Figs.

1-7. Lernæa branchialis Linn. (p. 142.)

1. Fertilized female, ventral view, shewing the appendages, the reproductive organs, and the nervous

system, $\times 47\frac{1}{2}$. (p. 22.)

2. Mature female, seen from the right side, shewing the maxilliped and four pairs of feet, the alimentary canal, and the reproductive organs; from a specimen cleared in xylol, × 4. (p. 19.)

3. Transverse section through the middle of the swollen region, shewing the ovary, the oviducts, cement

glands, and intestine, \times 9. (p. 21.)

4. Transverse section through the abdomen, \times 20. (p. 22.)

5. Portion of the cement-gland, \times 20. (p. 21.)

6. Transverse section through the region of the eyes of a young fertilized female, × 80. (p. 22.)

7. Front view of the anchor processes of an adult female, × 4. (p. 22.)






PLATE XLIV.

Figs.

- 1. Lernæa lusci Bassett-Smith, ♀ side view, × 6. (p. 144.)
- 2. Another specimen (\circ) in situ on gill-arch of fish, \times about 2.
- 3. Lernæa minuta, T. Scott, ♀ side view, × about 5. (p. 145.)
- 4. Lernæa lumpi, T. Scott, ♀ side view, × about 2. (p. 146.)
- 5-7. Hæmobaphes cyclopterina (Fabr.). (p. 147).
 - 5. Side view (head wanting), \times 9.
 - 6. The head, after Steenstrup & Lütken, enlarged.
 - 7. The same, seen from another position, enlarged.
 - 8. Hæmobaphoides ambiguus T. Scott, ? side view, × 7. (p. 148.)






PLATE XLV.

Figs.

1. Rebelula edwardsi (Kolliker), ? dorsal view, enlarged. (p. 162.)

2, 3. Philichthys xiphiæ Steenstrup, Q. (p. 139.)

2. A young specimen, dorsal view, enlarged.
3. An older specimen, dorsal view, enlarged.

4, 5. Dichelestium oblongum (Abildgaard). (p. 106.)

4. Dorsal view, ♀, × about 4.
5. Dorsal view, ♂, × about 4.

6. Tripaphylus musteli P. J. van Beneden, 3 side view, enlarged. (p. 160.)

7. Chondrucanthus ornatus T. Scott, & side view, greatly

enlarged. (p. 182.)

8. Brachiella rostrata Kröyer, ♂ side view, × about 25. (p. 205.)



PLATE XLVI.

Figs.

1-5. Lernæenicus sprattæ (Sowerby). (p. 156.)

1. Female in situ in eye of sprat, natural size.

2. Female removed from fish, \times about $2\frac{1}{3}$.

3. Head and neck of female, more enlarged.
4. Antennule, greatly enlarged.

5. Antenna, greatly enlarged.

6-9. Lernæenicus encrassicola (Turton). (p. 158.)

6. Female in situ in back of sprat, natural size.

7. Shows head of female penetrating into the abdominal cavity of the sprat, enlarged.

8. Head of female, ventral view, enlarged.

9. Head, side view, enlarged.






PLATE XLVII.

Figs.

- 1. Chondracanthus cornutus (O. F. Müller), ?, \times about 6. (p. 168.)
- 2. Chondracanthus cornutus, var. ?, \times 6. (p. 169.)
- 3. Chondracanthus annulatus Olsson, ?, × 4. (p. 169.)
- 4. Chondracanthus soleæ Kröyer, ♀, × 7. (p. 170.)
- 5. Chondracanthus fluræ Kröyer, ?, × 6. (p. 171.)
- 6. Chondracanthus limandæ Kröyer, 2, × 13. (p. 174.)
- 7. Chondracanthus clavatus Bassett-Smith, ?, \times 8. (p. 175.)
- 8. Chondracanthus merluccii (Holten), ♀, × 8. (p. 180.)

PLATE XLVIII.

Figs.

1-3. Lepeophtheirus thompsoni Baird, ♀. (p. 69.)

1. Sternal fork.

2. Sternal fork, another form.

3. Foot of fourth pair.

4, 5. Lepeophtheirus pollachii Bassett-Smith, ♀. (p. 73.)

4. Sternal fork.

5. First maxilliped.

6. Caligns brevicaudatus A. Scott, \(\varphi \). Sternal fork. (p. 56.)

7. Caligus diaphanus Nordmann, ?. Sternal fork. (p. 60.)

8-12. Lernæopoda salmonea (Linn.), \(\mathbb{c}\). (p. 199.)

8. Antennule.

- 9. Antenna.
- 10. Mandible.
- 11. Maxilla.

12. First maxilliped.

13-16. Chondracanthus nodosus (O. F. Müller), \(\varphi\). (p. 176.)

13. Antennule.

14. Mandible and maxilla.

15. Foot of first pair.

16. Foot of second pair.

- 17. Ergasilus nanus P. J. van Beneden, ♀. Antenna. (p. 34.)
- 18. Brachiella insidiosa Heller, adult male, side view, × 18. (p. 206.)

(Figs. 1-17 much enlarged.)






PLATE XLIX.

Figs.

- 1-7. Tripaphylus musteli (P. J. van Beneden), &. (p. 160.)
 - 1. Antennule.
 - 2. Antenna.
 - 3. Mandible.
 - 4. Maxilla.
 - 5. First maxilliped.
 - 6. Second maxilliped.
 - 7. Abdomen.
- 8-11. Thysanote impudica (Nordmann), ♀. (p. 187.)
 - 8. Antennule.
 - 9. Mandible.
 - 10. Maxilla.
 - 11. First maxilliped.
- 12-16. (?) Lernæopoda lampri sp. n., 3. (p. 202.)
 - 12. Antenna.
 - 13. Mandible.
 - 14. Maxilla.
 - 15. First maxilliped.
 - 16. Second maxilliped.

(Figures much enlarged.)








PLATE L.

Figs.

1-5. Lerneocera cyprinacea (Linn.), ♀. (p. 154.)

1. A specimen seen from the side, \times 9.

2. The head, front view.

3. The head, seen from another position, more enlarged than fig. 2.

4. A specimen of L. cyprinacea, \times 5. (After Selago.)

5. Another specimen, × about 3. (After Baird.)

6-8. Achtheres percarum Nordmann. (p. 193.) 6. A female, dorsal view, × 18.

7. Distal extremity of second maxillipeds, enlarged.

8. A male, dorsal view, \times 85.

9. Brachiella bispinosa Nordmann, ♀ dorsal view, × 7. (p. 211.)

(Figs. 1-3 and 6-9 after Nordmann.)






PLATE LI.

Figs.

1. Tripaphylus musteli (P. J. van Beneden), ♀, × 2½ (head wanting). (p. 160.)

2. Pennella orthagorisci E. P. Wright, \(\begin{aligned} \begin{aligned} \text{about natural size} \end{aligned} \) (head wanting). (p. 150.) (Thomas Edward's specimen.) 3. Sphyrion lumpi (Kröyer), \mathfrak{P} , \times about 2. (p. 164.)

4. A smaller specimen, rather imperfect, × about 4.

5. Rebelula edwardsi (Kölliker), ?, × about 2 (head wanting). (p. 162.)

6. Thersitina gasterostei (Pagenstecher), ?, × 27. (p. 42.)

7. Clavella lophii (M. Edwards), \,\text{\chi}, \times 2. (p. 226.)

(All the figures shew dorsal view.)






PLATE LII.

Figs.

1-3. Chondracanthus nodosus (O. F. Müller). (p. 176.)

1. Adult female, dorsal view, \times $8\frac{1}{2}$.

2. A young specimen, dorsal view, × about 9.

3. An adult male, side view, × 80.

4. Chondracanthus lophii Johnston, ♀, × above 5. (p. 179.)

5. Chondracanthus cornutus (O. F. Müller), &, side view, × about 100. (p. 168.)

6. Medesicaste asellinum (Linn.), ♀ dorsal view, × 7½.
(p. 184.)



PLATE LIII.

Figs.

- 1–4. Chondracanthus cornutus (O. F. Müller), ♀ & ♂.
 (p. 168.)
 - 1. ♀ Antennule.
 - 2. Mandible.
 - 3. 3 Foot of first pair.
 - 4. Foot of second pair.
- 5-9. Chondracanthus cornutus, var., ♀ & ♂. (p. 169.)
 - 5. ? Antennule.
 - 6. Mandible.
 - 7. 3 Antennule.
 - 8. Foot of first pair.
 - 9. Foot of second pair.
- 10, 11. Chondracanthus fluræ Kröyer, ♀. (p. 171.)
 - 10. Antennule.
 - 11. Mandible.
- 12-15. Chondracanthus soleæ Kröyer, ♀ & ♂. (p. 170.)
 - 12. ? Antennule.
 - 13. Mandible.
 - 14. & Antennule.
 - 15. Foot of second pair.
- 16-19. Chondracanthus merluccii (Holten), ♀ & ♂. (p. 180.)
 - 16. ? Antennule.
 - 17. Mandible.
 - 18. & Foot of first pair.
 - 19. Foot of second pair.






PLATE LIV.

Figs.

- 1-11. Trebius caudatus Kröyer, ♀. (p. 81.)
 - 1. Antennule.
 - 2. Antenna.
 - 3. Mandible.
 - 4. Maxilla.
 - 5. Sternal fork.
 - 6. First maxilliped.
 - 7. Second maxilliped.
 - 8. Foot of first pair.
 - 9. Foot of second pair.
 - 10. Foot of fourth pair.
 - 11. Fifth foot.
- 12-17. Charopinus dalmanni (Retzius), ♀ & ♂. (p. 189.)
 - 12. Antennule.
 - 13. Antenna.
 - 14. Mandible.
 - 15. Maxilla.
 - 16. First maxilliped.
 - 17. & Second maxilliped.
- 18–22. Charopinus ramosus Kröyer, ♀. (p. 191.)
 - 18. Antennule.
 - 19. Antenna.
 - 20. Mandible.
 - 21. Maxilla.
 - 22. First maxilliped.



PLATE LV.

Figs.

1-4. Charopinus dalmanni (Retzius). (p. 189.)

1. Female, dorsal view, \times 2.

2. Female, side view, \times 2.

3. Ends of the second maxillipeds, slightly enlarged.

4. Male, side view, \times 36.

5. Charopinus dubius T. Scott, 2, dorsal view, × 3½. (p. 190.)

6, 7. Charopinus ramosus Kröyer, ♀. (p. 191.)

6. Dorsal view, \times 4.

7. Side view, \times 4.






PLATE LVI.

Figs.

- 1-4. Chondracanthus depressus T. Scott, Y. (p. 172.)
 - 1. Antennule.
 - 2. Mandible.
 - 3. Foot of first pair.
 - 4. Foot of second pair.
- 5-7. Chondracanthus depressus, var. oblongus, ♀. (p. 173.)
 - 5. Antennule.
 - 6. Foot of first pair.
 - 7. Foot of second pair.
- 8–10. Chondracanthus annulatus Olsson, ♀ & ♂. (p. 169.)
 - 8. ? Antennule.
 - 9. Mandible.
 - 10. 3 Antennule.
- 11, 12. Chondracanthus limandæ Kröyer, \(\text{\text{?}}. \) (p. 174.)
 - 11. Antennule.
 - 12. Mandible.
 - 13. Chondracanthus zei De la Roche, ♀. Antennule. (p. 177.)
- 14, 15. Chondracanthus clavatus Bassett-Smith, \(\text{p. 175.} \)
 - 14. Antennule.
 - 15. Mandible.
- 16-18. Chondracanthus lophii Johnston, \(\text{\text{\chi}} \). (p. 179.)
 - 16. Antennule.
 - 17. Mandible.
 - 18. Maxilla.




PLATE LVII.

Figs.

- 1-7. Lernæopoda cluthæ T. Scott, ♀ & ♂. (p. 198.)
 - 1. ? Antennule.
 - 2. Antenna.
 - 3. Mandible.
 - 4. Maxilla.
 - 5. First maxilliped.
 - 6. 3 First maxilliped.
 - 7. Second maxilliped.
- 8-12. Lernæopoda bidiscalis W. F. de Visme Kane, ?. (p. 200.)
 - 8. Antennule.
 - 9. Antenna.
 - 10. Mandible.
 - 11. Maxilla.
 - 12. First maxilliped.
- 13-17. Lernæopoda elongata (Grant), ♀. (p. 195.)
 - 13. Antennule.
 - 14. Antenna.
 - 15. Mandible.
 - 16. Maxilla.
 - 17. First maxilliped.
- 18, 19. Medesicaste asellinum (Linn.), ♀. (p. 184.)
 - 18. Antennule.
 - 19. Mandible.



PLATE LVIII.

Figs.

- 1-8. Pandarus bicolor Leach, & (jnv.), (= Nogagus latus T. Scott). (p. 95.)
 - 1. Antennule.
 - 2. Antenna.
 - 3. First maxilliped.
 - 4. Second maxilliped.
 - 5. Foot of first pair.
 - 6. Foot of second pair.
 - 7. Foot of third pair.
 - 8. Foot of fourth pair.
- 9–15. Lernæopoda galei Kröyer, ♀ & ♂. (p. 197.)
 - 9. § Antennule.
 - 10. Antenna.
 - 11. Mandible.
 - 12. Maxilla.
 - 13. First maxilliped.
 - 14. Second maxilliped.
 - 15. 3 Second maxilliped.
 - 16. Lernæopoda cluthæ T. Scott, 3. (p. 198.)

16. Abdomen and caudal furca.






PLATE LIX.

Figs.

1-6. Lernæopoda salmonea (Linn.). (p. 199.)

1. Female, dorsal view, \times 12.

2. The same, side view, \times 12.

3. Another specimen, ? adult, dorsal view, × 8 (to shew variation).

4. The same, seen from the side, \times 8.

5. A female, somewhat immature, dorsal view, enlarged.

6. The same, seen from the side, enlarged.

7, 8. Achtheres percarum Nordmann, ?. (p. 193.)

7. Dorsal view, much enlarged.

8. The same, seen from the side.






PLATE LX.

Figs.

1-3. Lernæopoda cluthæ T. Scott. (p. 198.)

1. Female, dorsal view, \times 8.

- 2. The same, seen from the side, \times 8.
- 3. Male, seen from the side, × about 50.

4-6. Lernæopoda galei Kröyer. (p. 197.) 4. Female dorsal view, × 4.

5. The same, seen from the side, \times 4.

6. Male, seen from the side, × about 50.

7. Brachiella ovalis (Kröyer), seen partly from the side, × about 12. (p. 210.)






PLATE LXI.

Figs.

1, 2. Lernæopoda bidiscalis W. F. de Visme Kane. (p. 200.)

1. Female, dorsal view, \times about 6.

2. The same, seen from the side, \times about 6.

3, 4. Lernæopoda elongata (Grant). (p. 195.)

3. Female, dorsal view, \times 2.3.

4. The same, seen from the side, \times 2.3.

5, 6. Lernæopoda similis sp. n. (p. 202.) 5. Female, dorsal view, × 10½.

6. The same, seen from the side, \times 10\frac{1}{2}.

Note.—Vol. I, p. 195, for Plate LXI, figs. 5, 6; read figs. 3, 4; and page 202, for Plate LXI, figs. 3, 4; read figs. 5, 6.






PLATE LXII.

Figs.

1. Brachiella trigla Claus, ♀, ventral aspect, × 20. (p. 209.)

2. Brachiella insidiosa Heller, \circ , side view, \times 5. (p. 206.)

3. Brachiella rostrata Kröyer, ♀, side view, × 5. (p. 205.)

4, 5. Brachiella merluccii Bassett-Smith, ♀, × 6. (p. 207.)

4. Dorsal view.

5. Side view.




PLATE LXIII.

Figs.

- 1. Lernæopoda galei Kröyer, ♂, abdomen and caudal furca, × 26. (p. 197.)
- 2-8. Brachiella rostrata Kröyer, ♀ & ♂. (p. 205.)
 - 2. ♀ Antennule.
 - 3. Antenna.
 - 4. Mandible.
 - 5. Maxilla.
 - 6. First maxilliped.
 - 7. 3 First maxilliped.
 - 8. Second maxilliped.
- 9-16. Brachiella insidiosa Heller, ♀ & ♂. (p. 206.)
 - 9. ♀ Antennule.
 - 10. Antenna.
 - 11. Mandible.
 - 12. Maxilla.
 - 13. First maxilliped.
 - 14. 3 Antenna.
 - 15. First maxilliped.
 - 16. Second maxilliped.
- 17–20. Brachiella merluccii Bassett-Smith, ♀. (p. 207.)
 - 17. Antennule.
 - 18. Mandible.
 - 19. Maxilla.
 - 20. First maxilliped.
- 21–25. Brachiella triglæ Claus, ♀. (p. 209.)
 - 21. Antennule.
 - 22. Antenna.
 - 23. Mandible.
 - 24. Maxilla.
 - 25. First maxilliped.
- 26-30. Brachiella ovalis (Kröyer), ♀. (p. 210.)
 - 26. Antennule.
 - 27. Antenna.
 - 28. Mandible.
 - 29. Maxilla.
 - 30. First maxilliped.

(Figures much enlarged.)






PLATE LXIV.

Figs.

1-3. Achtheres percarum Nordmann, ♀. (p. 193.)

1. Anterior end, ventral aspect, shewing mouth-appendages.

2. First maxillipeds, side view.

3. Second maxilliped, side view.

4-6. Brachiella thynni Cuvier. (p. 204.) 4. Male, seen from the side, × 30.

5. Female, scarcely mature, head wanting, slightly enlarged.

6. Female, adult, \times about 3.

7. Brachiella parkeri G. M. Thomson, \(\mathbf{Q}\), \times 3\(\frac{1}{2}\). (p. 212.)

8. Brachiella pastinacæ P. J. van Beneden, \circ , \times 10. (p. 211.)

9. Brachiella bispinosa Nordmann, ♀, × 7, side view; after Nordmann. (p. 211.)

(Figs. 1–3 and 9 after Nordmann; 4–6 after Steenstrup & Lütken; 7 and 8 after Miss Bainbridge.)





PLATE LXV.

Figs.

 Clavella brevicollis (M. Edwards), ♀, side view, × about 20. (p. 220.)

2, 3. Clavella uncinata (O. F. Müller). (p. 214.)

2. ♀, Side view, × about 7.
 3. ♂, Side view, × about 45.

4. Clavella rugosa (Kröyer), ♀, side view, × 4½. (p. 216.)

A male is shewn attached to the cephalothorax.

5. Clavella rugosa (Kröyer), 3, side view, x about 40.

6. Clavella (?) uncinata, \$\partial (juv.), with two males attached to the abdomen, enlarged. (p. 214.)

7. Clavella dubia, T. & A. Scott, \$\circ\$, side view, \$\times\$ 7. (p. 217.)

8, 9. Clavella stellata (Kröyer), \(\chi\). (p. 220.)

8. Side view, shewing a section of the scale of the fish to which the adhesive disk of the *Clavella* is attached, $\times 4\frac{1}{2}$.

9. Adhesive disk, enlarged.



PLATE LXVI.

Figs.

- 1-7. Clavella rugosa (Kröyer), ♀ & ♂. (p. 216.)
 - 1. ? Antennule.
 - 2. Antenna.
 - 3. Mandible.
 - 4. Maxilla.
 - 5. First maxilliped.
 - 6. 3 First maxilliped.
 - 7. Second maxilliped.
- 8–11. Clavella dubia T. & A. Scott, \(\cdot \). (p. 217.)
 - 8. Antennule.
 - 9. Mandible.
 - 10. Maxilla.
 - 11. First maxilliped.
- 12-16. Clavella brevicollis (M. Edwards), ♀. (p. 220.)
 - 12. Antennule.
 - 13. Antenna.
 - 14. Mandible.
 - 15. Maxilla.
 - 16. First maxilliped.
- 17–20. Clavella emarginata (Kröyer), ♀. (p. 218.)
 - 17. Antennule.
 - 18. Mandible.
 - 19. Maxilla.
 - 20. First maxilliped.
- 21–23. Clavella uncinata (O. F. Müller), φ . (p. 214.)
 - 21. Antennule.
 - 22. Maxilla.
 - 23. First maxilliped.

(Figures much enlarged.)






PLATE LXVII.

Figs.

1-3. Clavella scombri (Kurz). (p. 218.)

1. Female, side view, × 12. A male is shewn attached to the cephalothorax.

2. Female, in situ on gill-arch of fish, × about 4.

3. Male, side view, \times 56.

4-6. Clavella paradoxa (P. J. van Beneden). (p. 222.)

4. Female, dorsal view, × about 20.

5. Female, in situ on gill-filament of fish, × 5.

6. Male, side view, \times 25.






PLATE LXVIII.

Figs.

1-7. Clavella scombri (Kurz), ♀ & ♂. (p. 218.)

1. ? Antennule.

- 2. Antenna.
- 3. Mandible, apex shewing serrated edge.

4. Maxilla.

5. First maxilliped.6. ¿ First maxilliped.

7. Second maxilliped.

- 8–14. Clavella paradoxa (P. J. van Beneden), ? & & . (p. 222.)
 - 8. ? Antennule.
 - 9. Antenna.
 - 10. Mandible, apex shewing serrated edge.

11. Maxilla.

12. First maxilliped.

13. ♂ First maxilliped.14. Second maxilliped.

15. Clavella quadrata Bassett-Smith, ♀, enlarged (after Bassett-Smith). (p. 223.)

(Figures much enlarged.)






Plate 69



PLATE LXIX.

Figs.

1-3. Clavella canthari (Heller). (p. 224.)

1. Female, dorsal view, \times 9.3.

2. The same, seen from the side, \times 9.3.

3. Male, seen from the side, \times about 50.

4-6. Clavella alata Brian. (p. 225.)

4. Female, dorsal view, \times 15.

5. The same, seen from the side, \times 15.

6. Male, seen from the side, \times about 50.

7. Clavella emarginata (Kröyer) ♀, side view, × about 13. (p. 218.)






PLATE LXX.

Figs.

- 1-13. Kroyeria lineata P. J. van Beneden. (p. 121.)
 - 1. Female, dorsal view, × about 24.
 - 2. Antennule.
 - 3. Antenna.
 - 4. Mandible.
 - 5. Maxilla.
 - 6. First maxilliped.
 - 7. Second maxilliped.
 - 8. Foot of first pair.
 - 9. Foot of second pair.
 - Part of genital segment, and abdomen seen from the side.
 - 11. One of the cephalic spines.
 - 12. Male, dorsal view, x about 24.
 - 13. One of the cephalic spines.

(Figures 2-11 and 13 greatly enlarged.)






PLATE LXXI.

Figs.

- 1-12. Eudactylina insolens sp. n., ♀. (p. 135.)
 - 1. Dorsal view, \times 50.
 - 2. Side view, \times 50.
 - 3. Antennule.
 - 4. Antenna.
 - 5. Mandible.
 - 6. Maxilla.
 - 7. First maxilliped.
 - 8. Second maxilliped.
 - 9. Foot of first pair.
 - 10. Foot of second pair.
 - 11. Foot of third pair.
 - 12. Foot of fourth pair.
 - 13. Brachiella pastinaca P. J. van Beneden, ♀, side view, × 10. (p. 211.)
 - 14. Caligus pelāmydis Kröyer, ♂, dorsal view, × 24. (p. 58.)

(Figures 3-12 greatly enlarged.)

Note.—Fig. 13 is not referred to in the text, as the specimen was only recently obtained.







PLATE LXXII.

Figs.

1–10. Argulus foliaceus (Linn.), ♀. (p. 227.)

- 1. Female, dorsal view, enlarged about $6\frac{1}{2}$ times.
- 2. Antenna.
- 3. Antennule.
- 4. Mouth, side view.
- 5. Siphon with retractile stylet.
- 6. Second maxilliped.
- 7. First swimming foot.
- 8. Basiopodite of second foot.
- 9. Basiopodite of third foot.
- 10. Basiopodite of fourth foot.

(Figures 2–10 much enlarged.)





RAY SOCIETY

INSTITUTED 1844

FOR THE PUBLICATION OF WORKS ON NATURAL HISTORY

ANNUAL SUBSCRIPTION ONE GUINEA

OFFICERS AND COUNCIL.

1913-14.

President.

THE RT. HON. LORD AVEBURY, P.C., D.C.L., LL.D., FOR.SEC.R.A., F.R.S., F.S.A., F.L.S., ETC.

Vice-Presidents.

T. A. CHAPMAN, M.D., F.Z.S., F.E.S.
 A. D. MICHAEL, F.L.S., F.Z.S., F.R.M.S.
 R. F. SCHARFF, Ph.D., B.Sc., F.L.S., F.Z.S.

Conneil.

ROBERT ADKIN, F.E.S.
R. ASSHETON, M.A., F.L.S., F.G.S.
MALCOLM BURR, D.SC., F.L.S., F.G.S.
Rev. C. R. N. BURROWS, F.E.S.
Rev. ALFRED FULLER, M.A., F.E.S.
A. E. GIBBS, F.L.S., F.Z.S., F.E.S.
S. F. HARMER, M.A., Sc.D., F.R.S.

B. Daydon Jackson, Ph.D., F.L.S. Albert H. Jones, Treas.E.S. G. B. Longstaff, M.D., F.E.S. A. W. Oke, B.A., LL.M., F.L.S., F.G.S. Charles Oldham, F.L.S., F.Z.S. C. D. Soar, F.L.S., F.R.M.S. W. Mark Webb, F.L.S., F.R.M.S.

Treasurer.

F. Ducane Godman, D.C.L., F.R.S., F.L.S., F.G.S., F.Z.S., F.E.S.

Secretary.

JOHN HOPKINSON, F.L.S., F.G.S., F.Z.S., Assoc.Inst.C.E.; Weetwood, Watford.

RECENTLY ISSUED AND FORTHCOMING MONOGRAPHS.

For the Sixty-first Year, 1904.

82. A Monograph of the British Desmidiaceæ. By W. and G. S. West. Vol. I. xxxvi + 224 + 64 pp., 32 plates. 8vo. 1904.

83. The British Tunicata. By the late Joshua Alder and the late Albany Hancock. Edited by John Hopkinson. Vol. I. With a History of the Work by Canon A. M. Norman. xvi + 146 + 42 pp., 20 plates, and frontispiece. 8vo. 1905.

For the Sixty-second Year, 1905.

84. A Monograph of the British Desmidiaceæ. By W. and G. S. West. Vol. II. x + 206 + 64 pp., 32 plates. 8vo. 1905.

85. The British Freshwater Rhizopoda and Heliozoa. By James Cash, assisted by John Hopkinson. Vol. I. The Rhizopoda, Part I. x + 150 + 32 pp., 16 plates. Svo. 1905.

For the Sixty-third Year, 1906.

86. The British Tunicata. By the late Joshua Alder and the late Albany Hancock. Edited by John Hopkinson. Vol. II. With Lives of the Authors by Canon Norman and Dennis Embleton. xxviii + 164 + 62 pp., 30 plates (xxi-l), and frontispiece. 8vo. 1907.

For the Sixty-fourth Year, 1907.

87. A Monograph of the British Annelids. By WILLIAM CARMICHAEL McIntosh. Vol. II, Part 1. Polychæta. Nephthydidæ to Syllidæ. viii + 232 + 46 pp., 22 plates (xliii-l, lvii-lxx). Folio. 1908.

For the Sixty-fifth Year, 1908.

88. A Monograph of the British Desmidiaceæ. By W. and G. S. West. Vol. III. xvi + 274 + 62 pp., 31 plates (lxv-xcv). 8vo. 1908.

89. The British Freshwater Rhizopoda and Heliozoa. By the late James Cash, assisted by John Hopkinson. Vol. II. The Rhizopoda, Part II. xviii + 168 + 32 pp., 16 plates (xvii–xxxii), and frontispiece. 8vo. 1909.

For the Sixty-sixth Year, 1909.

90. The British Nudibranchiate Mollusca. By the late Joshua Alder and the late Albany Hancock. Part 8 (supplementary). Text by Sir Charles Eliot. viii + 198 + 18 pp., 8 plates. Folio. 1910.

For the Sixty-seventh Year, 1910.

91. The British Annelids. By William Carmichael McIntosh. Vol. II, Part 2. Polychæta (continued). vii + 292 (233-524) + 46 pp., 23 plates (li-lvi, lxxi-lxxxvii). Folio. 1910.

For the Sixty-eighth Year, 1911.

92. The British Desmidiaceæ. By W. and G. S. West. Vol. IV. xiv+194+66 pp., 33 plates (xcvi-cxxviii). 8vo. 1912.

93. The British Tunicata. By the late Joshua Alder and the late Albany Hancock. Edited by John Hopkinson. Vol. III. xii + 114 + 34 pp., 16 plates (li-lxvi), and frontispiece. 8vo. 1912.

For the Sixty-ninth Year, 1912.

94. A Bibliography of the Tunicata. By John Hopkinson. xii + 288 pp. 8vo. 1913.

95. The British Parasitic Copepoda. By Thomas and Andrew Scott. Vol. I (Copepoda parasitic on Fishes, Part I). xii + 256 pp., 2 plates. 8vo. 1913.

For the Seventieth Year, 1913.

96. The British Parasitic Copepoda. By Thomas and Andrew Scott. Vol. II (Copepoda parasitic on Fishes, Part II). xii + 144 pp., 72 plates. 8vo. 1913.

In Course of Publication.

The British Desmidiaceæ. By W. West and Prof. G. S. West. (Vol. V for 1914.)

The British Freshwater Rhizopoda and Heliozoa. By the late James Cash and G. H. Wailes. (Vol. III for 1914.) The British Marine Annelids. By Prof. W. C. McIntosh.

Preparing for Publication.

The British Centipedes and Millepedes. By W. M. Webb.
The British Earthworms. By the Rev. Hilderic Friend.
The British Hydrachnidæ. By C. D. Soar and W. Williamson.

The British Ixodoidea. By W. F. Cooper and L. E. Robinson. The Earwigs of the World. By Dr. Malcolm Burr.

May, 1913.







